

Printing date 01.10.2019

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 01.10.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- [•] Trade name: MANNOL 9928 Epoxidkitt 56g
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Adhesives Sealant
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND info@sct-germany.de

· Further information obtainable from: Product safety department.

• 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H335	May cause respiratory irritation.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



GHS07 GHS09

· Signal word Warning

· Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) calcium carbonate

(Contd. on page 2)

GB ·

Version number 1910

Revision: 01.10.2019

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 1) Pentaerythritol-PO-mercaptoglycerol~ Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P103 Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. P261 Use only outdoors or in a well-ventilated area. P271 Avoid release to the environment. P273 Wear protective gloves / eye protection / face protection. P280 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. P312 P321 Specific treatment (see on this label). P362+P364 Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. P333+P313 Collect spillage. P391 Store in a well-ventilated place. Keep container tightly closed. P403+P233 P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number	<25.0%
NLP: 500-033-5	average molecular weight \leq 700)	
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 72244-98-5	Pentaerythritol-PO-mercaptoglycerol~	
EC number: 615-735-8	Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 471-34-1	calcium carbonate	≥20.0%
EINECS: 207-439-9	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	<4.0%
EINECS: 202-013-9	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Not dangerous substa	ances	
CAS: 7631-86-9 si	licon dioxide, chemically prepared	≥30.0%
EINECS: 231-545-4		



Printing date 01.10.2019





Printing date 01.10.2019

Version number 1910

Revision: 01.10.2019

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 2) • Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

[·] 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
Wear protective clothing.

6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:
Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

(Contd. on page 4)

GB



Printing date 01.10.2019

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 01.10.2019

(Contd. of page 3)

Trade name: MANNOL 9928 Epoxidkitt 56g

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. • **Information about fire - and explosion protection:** No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

GB

Printing date 01.10.2019

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 01.10.2019

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9.1 Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form:	Pasty
Colour:	Grey
Odour: Odour threshold:	Characteristic
	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Ignition temperature:	>370 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.

– GB

Printing date 01.10.2019

Version number 1910

Revision: 01.10.2019

(Contd. of page 5)

Trade name: MANNOL 9928 Epoxidkitt 56g

· Solvent content:

Solids content:

9.2 Other information

100.0 % No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide Aldehyde Poisonous gases/vapours Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >12,500 mg/kg

471-34-1 calcium carbonate

Oral LD50 6,450 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

GERMANY

Printing date 01.10.2019

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1910

Revision: 01.10.2019

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

- HP4 Irritant skin irritation and eye damage
- HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
- HP13 Sensitising
- HP14 Ecotoxic

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN3077	
· 14.2 UN proper shipping name		
ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product bisphenol-A-(epichlorhydrin) epoxy resin (numbe average molecular weight ≤ 700))	
	(Contd. on page	

GERMANY

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.10.2019

Version number 1910

Revision: 01.10.2019

Trade name: MANNOL 9928 Epoxidkitt 56g

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (reaction product: bisphenol-/ (epichlorhydrin) epoxy resin (number averag molecular weight 5 700)). MARINE POLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (reaction product: bisphenol-/ (epichlorhydrin) epoxy resin (number averag molecular weight 5 700)) 14.3 Transport hazard class(es) ADR, IMDG, IATA III 14.5 Environmental hazards: Babel 9 Marking (ADR): Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (AAR): Stowage Code Xowage Code Transport in bulk according to Annex II of Marpol and the IBC Code Transport Additional information: ADR Limited quantities (LQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per inner		
SOLID, N.O.S. (reaction product: bisphenol-/ (epichlorhydrin) epoxy resin (number averag molecular weight 5 700)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCI SOLID, N.O.S. (reaction product: bisphenol-/ (epichlorhydrin) epoxy resin (number averag molecular weight ≤ 700)) 14.3 Transport hazard class(es) ADR, IMDG, IATA Image: Class 2 Label 9 Miscellaneous dangerous substances and articles 9 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Special precautions for user Varning: Miscellaneous dangerous substances an articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marimum net quantity per uner packaging: 30 g Maximum net quantity per outer pack		(Contd. of page
molecular weight ≤ 700)) 14.3 Transport hazard class(es) ADR, IMDG, IATA Image: Application of the product of th	IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number averag
ADR, IMDG, IATA Class Class Label 9 Viscellaneous dangerous substances and articles 9 Viscellaneous dangerous substances 9 Viscellaneous dangerous dangerous substances 9 Viscellaneous dangerous dangerous dangerous substances 9 Viscellaneous dangerous dangerous dangerous substances 9 Viscelaneous dangerous d		
Class 9 Miscellaneous dangerous substances and articles Label 9 14.4 Packing group ADR, IMDG, IATA ADR, IMDG, IATA III 14.5 Environmental hazards: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (ATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances an articles. Danger code (Kemler): 90 EMS Number: F-A, S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR ADR Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 100 g 3 Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Limited quantities (EQ) 5 kg	14.3 Transport hazard class(es)	
Label 9 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Symbol (fish and tree) Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances an articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg Transport category 3 Tunnel restriction code - IMDG 5 kg Excepted quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg	ADR, IMDG, IATA	
Label 9 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Symbol (fish and tree) Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances an articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg Transport category 3 Tunnel restriction code - IMDG 5 kg Excepted quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg		
ADR, IMDG, IATA III 14.5 Environmental hazards: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances an articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Immed quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Class Label	9 Miscellaneous dangerous substances and articles 9
Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances ar articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG Skg Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g Maximum net quantity per outer	14.4 Packing group ADR, IMDG, IATA	
Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances ar articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: A ADR Code: E1 Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 MARIMUM net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	14.5 Environmental hazards:	
Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances an articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: A ADR Code: E1 Limited quantities (LQ) 5 kg Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Marine pollutant:	
14.6 Special precautions for user Warning: Miscellaneous dangerous substances an articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: A ADR Code: E1 Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per outer packaging: 1000 g 3 Transport category 3 MDG Code: E1 Imited quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO		
articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, set 7.6.2.12 and 7.7.3.9. SW23 When transported in BK3 bulk container, set 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO		
Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: A ADR Excepted quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG Skg Limited quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	14.0 Special precautions for user	
EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG Skg Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Danger code (Kemler):	90
Stowage Code SW23 When transported in BK3 bulk container, ser 7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	EMS Number:	_
7.6.2.12 and 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category Tunnel restriction code IMDG Limited quantities (EQ) 5 kg Code: E1 Maximum net quantity per outer packaging: 1000 g Tunnel restriction code - IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) 0 code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO		
Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO SUBSTANCE, SOLID, N.O.S. (REACTIO)	Stowage Code	
Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO SUBSTANCE, SOLID, N.O.S. (REACTIO)	14.7 Transport in bulk according to Ann	ex II of
ADR Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 Tunnel restriction code - IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Marpol and the IBC Code	
Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category Tunnel restriction code IMDG Limited quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Transport/Additional information:	
Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	ADR	
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code - IMDG - Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Limited quantities (LQ)	
Transport category 3 Tunnel restriction code - IMDG - Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Excepted quantities (EQ)	
Transport category 3 Tunnel restriction code - IMDG - Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIONED		
IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Transport category	
Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	Tunnel restriction code	-
Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	IMDG	
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO		
Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (REACTIO	LACEPTEU QUAITERES (EQ)	
SUBSTANCE, SOLID, N.O.S. (REACTIO		
SUBSTANCE, SOLID, N.O.S. (REACTIO	UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOU
PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN)		SUBSTANCE, SOLID, N.O.S. (REACTIO
		PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN)



Printing date 01.10.2019

Version number 1910

Revision: 01.10.2019

Trade name: MANNOL 9928 Epoxidkitt 56g

(Contd. of page 8)

EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT \leq 700)), 9, III

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 ** Data compared to the previous version altered.